1 005506681 56 1: 3744 Receipt date: 12/09/2005

Attorney Docket No. 2003P00855WOUS

## UNITED STATES PATENT AND TRADEMARK OFFIAP 13 Rec'd PCT/PTO 09 DEC 2005

In re Application of:

Helmut Konopa

Application Number:

Unassigned

Filing Date: Group Art Unit:

Concurrently Herewith

Examiner:

Title:

REFRIGERATION DEVICE COMPRISING CONTROLLED DE-HUMIDIFICATION

Commissioner for Patents PO Box 1450 Alexandria, VA 22313-1450

## INFORMATION DISCLOSURE STATEMENT

Sir:

In accordance with 37 C.F.R. 1.98, I am submitting a completed "INFORMATION" DISCLOSURE STATEMENT BY APPLICANT" (Form PTO/SB/08A) with patents and/or publications as delineated therein attached.

DE 39 04216 discloses that, to control the cool-space temperature of a refrigerator which is designed with a normal refrigerator section (1) and a freezer section (2), a one-circuit refrigerant circulation, a compressor refrigeration unit (3), a condenser (6), a throttle member and in each case an evaporator part (4, 5) for the freezer section and the normal refrigerator section. An electronic control unit (8) ensures the regulation of the temperature of the interior space, a temperature sensor (9) being arranged in the normal refrigerator section (1) and a further temperature sensor (11) in the freezer section (2). The microprocessor-controlled control unit (8) is supplied with the temperature values from the interior space of the normal refrigerator section (1), directly from the evaporator part (4) of the normal refrigerator section (1), and from the interior space of the freezer section (2). When the temperature in the freezer section (2) exceeds a predetermined value, a recirculation air blower (12) is switched on for circulating the air in the normal refrigerator section (1). As a result, the temperature in the freezer section (2) is always held at permissible temperature values even in the case of extremely unfavourable outside temperatures or when the user has preset the desired value at a value which is too high.

JP 2 17375 discloses that to reduce a load applied on a compressor and restrain the electric power consumption of the compressor by a method wherein the operating frequency of a fan is increased stepwisely upon driving the compressor when an energy saving mode button is actuated. An operation panel 4 is provided with an energy saving mode button, transmitting a signal to a control device 5 upon driving a compressor 7 so that the operating frequency of a fan motor device 8 supplying cold air produced in an evaporator into respective food storage chambers is increased stepwisely. When the energy saving mode button 4e is actuated, the fan motor device 8 is controlled by a timer 5a accommodated in the control device 5 so as to increase the operating frequency thereof stepwisely even when the compressor 7 is actuated. According to this method, the operating frequency of the fan is changed in accordance with the amount of refrigerant sent into the evaporator whereby a load applied on the compressor may be reduced and the electric power consumption of the compressor may be restrained.

Receipt date: 12/09/2005

JP 1 222177 discloses a process to reduce noise in an arbitrary time band where it is not used frequently, by operating a timer function on the handling of a 'silence' pushbutton switch, and lowering the operation frequency of a fan motor device, which drives a fan, for a specified period of time. During a normal operation status of an electric refrigerator, a judgment is made as to whether or not a silence pushbutton switch 4e is depressed. When the silence button switch 4e remain OFF, an ordinary operation is executed while a timer function 5a is set when the pushbutton switch 4e is in ON status. Then, the operation frequency of a fan imotor device 7 is lowered by the invertor system identical to the control of a compressor 6. Then, a judgment is made as to whether the silence button switch is ON status or not. The release of the silence by OFF status is executed by depressing the pushbutton switch 4e again. When the silence is released, normal operation starts. When the silence is not released, a judgment is made as to whether a specified period of time passes or not based on the timer function 5a. The operation frequency of the fan motor device 7 remains low until the timer function 5a is timed up. It is, therefore, possible to reduce the noise produced by a fan 7a compared with the normal operation.

DE 101 39 834 discloses that the invention relates to a refrigeration device comprising two temperature zones (1, 2) that are cooled by condensers (5, 4), arranged in a common coolant circuit, a first (1) of said zones being equipped with a fan (9). In said device, to maintain the temperatures of the temperature zones (1, 2) within their respective target ranges, the refrigeration circuit is operated intermittently, depending on a temperature that is measured in one of the temperature zones. The fan (9) is also operated intermittently, whereby the operational and non-operational phases of the coolant circuit and the fan are determined in such a way that operational phases of the coolant circuit at least partially coincide with non-operational bhases of the fan (9).

Receipt date: 12/09/2005



Attorney Docket No. 2003P00855WOUS

EP 0 949 468 discloses that the actual operating parameter value for a refrigeration 0 9 DEC 2005

compressor is compared with a stored parameter value for controlling operation of an air circulating fan for a higher temperature refrigeration compartment. The control method uses an electronic control device for comparing at least one required parameter value held in a data memory with an actual parameter value obtained from the operation of the refrigeration compressor, e.g. the summated compressor running time., to provide a control signal for operation of a circulation fan, used for controlling the temperature within a higher temperature refrigeration compartment by circulation of the cooling air.

If no translation of pertinent portions of any foreign language patents or publications mentioned within the "INFORMATION DISCLOSURE STATEMENT BY APPLICANT" is included with the aforementioned copies of those applications, patents and/or publications, it is because no existing translation is readily available to the Applicant. As per the Notice in 1273 OG 55 (August 5, 2003) no copies of any above-mentioned US patents and US patent application publications are submitted for this application which was filed after June 30, 2003.

Respectfully submitted

John T. Winburn

Registration No. 26,822

December 9, 2005

BSH Home Appliances Corp. 100 Bosch Blvd New Bern, NC 28562 Phone: 252-636-4397

Fax: 714-845-2807 john.winburn@bshg.com

## IAP13 Rec'd PCT/PTO 09 DEC 2005

PTO/SB/08A (08-03)

	Under the Paperwork Reduction Act of 1995, no persons are required to re	U.S. Patent and Trader	mark Office; U.S. DEPARTMENT OF COMMI	FRCE
	Substitute for form 1449/PTO		mplete if Known	<u>.</u>
		Application Number	Unassigned / KAN 1 F	1
	INFORMATION DISCLOSURE	Filing Date	Herewiff 90015	Ψ
		First Named Inventor	Helmut Konopa	
		Art Unit		
	(Use as many sheets as necessary)	Examiner Name		
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (1/30 as many sheets as necessary)	Attorney Docket Number	2003P00855WOUS	_	

				DOCUMENTS	
examiner nitials*	Cite No.1	Document Number  Number-Kind Code <sup>2 (F house)</sup>	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		US- 2,442,188	05-25-1948	John J. Bauman	
		US- 2,549,547	04-17-1951	Allen Trask	
		US- 6,006,530	12-28-1999	Jang-Hee Lee et al	
		US- 2,285,946	06-09-1942	Milton Kalischer	
	Π	US- 3,403,534	10-01-1968	James A. Bright et al	
		US- 2,346,837	04-18-1944	Albert O. Grooms	
		<sup>US-</sup> 2,416,354	02-25-1947	Malcolm G. Shoemaker	
		US-			
		US-	1		
		US-			
		US-	T		
		US-			1

	FOREIGN PATENT DOCUMENTS						
Examiner Initials*		Foreign Patent Document Publicat Date	Publication	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages Or Relevant Figures Appear	П	
			MM-DD-YYYY			T <sup>6</sup>	
		EP 0 982 552	03-01-2000	Han Joo Yoo et al		V	
		DE 39 04216	08-16-1990	Dr. Peter Zinkann			
		JP 02 17375	01-22-1990	Hoshino Akihito et al			
		JP 1 222177	09-05-1989	Hoshino Akihito et al			
		DE 101 39 834	02-27-2003	Roland Maier et al			
		EP 0 859 206	08-19-1998	Daniel Witten-Hannah e		7	

ш	Signature		Considered	
	*EXAMINER:	Initial if reference considered, whether or not citation is in conformance with MPEP 609. Dra-	w line through	station if not in conformance and not
	considered. I	nclude copy of this form with next communication to applicant. Applicant's unique citation de	esignation num	per (optional). 2 See Kinds Codes of

Examiner

USPTO Pattert Documents at <u>www.usplo.gov</u> or MPEP 901 0.4 \*Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3), \*Fo Japanese patent document, the indication of the year of the reign of the Emperor must precode the serial number of the patent document. \*Kind of document by the appropriate symbols as indicated on the document under VIPO Standard ST.46 if possible. \*Applicant is to place a circk mark here if English language Translation is attached

Instruction as allustree.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 USC. 122 and 37 CFR 1.14. This collection is estimated to bate 5 was to complete, including gathering, preparing, and submitting the completed implication than to be USPTO. Then will very depending upon the individual case, was commented on the amount of time you require to complete this from and/or suggestions for reducing this butter, should be sent to the Chris friomation Officer, U.S. Patent and Tastemant College, P.O. Bost 1453, Assardingly, AZ 231-450, DON OT SERVIPE SES OR COMPLETED FORMS TO THIS ADDRESS. SERVIPE. TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2

29 DEC 2005

IAP13 Rec'd PCT/PTO SB/08A (08-03)

Substitute for form 1449/PTO	Complete if Known			
	Application Number	Unassigned		
INFORMATION DISCLOSURE	Filing Date	Heliewith / 5 60 1 5 6		
	First Named Inventor	Helmut Konopa		
STATEMENT BY APPLICANT	Art Unit			
(Use as many sheets as necessary)	Examiner Name			
theat 2 of 2	Attorney Docket Number	2003P00855WOUS		

			U. S. PATENT		
Examiner Initials*	Cite No.1	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Peges, Columns, Lines, Where Relevant Passages or Relevan
		Number-Kind Code <sup>2 (F Anoun)</sup>			Figures Appear
		US-			
		US-			
		US-			
		US-		•	
		US-	1		
		US-			
		US-	1		
		US-			
		US-			
		US-			
	-	US- ·			
		US-		-	
		US-	1		
	<del>                                     </del>	US-			

		FORE	IGN PATENT DOCL	MENTS		
Examiner Initials*	Cite No.1	Foreign Petent Document	Publication Date	Name of Patentee or Applicant of Cited Document	Peges, Columns, Unes, Where Relevant Pessages	Τ
		Country Code <sup>3</sup> Number * Kind Code <sup>5</sup> (if known)	MM-DD-YYYY	7 pricant or once becamen	Or Relevant Figures Appear	T <sup>6</sup>
		EP 0 949 468	10-13-1999	Thomas Guffler et al		
		International Search Report PCT/EP2	2004/006256			V
	<u> </u>					L
	-					┝
	-					_
	$\perp$			1		

Considered "EXAMINER: Initial if reference considered, whether or not clastion is in conformence with MPEP 609. Draw line through clastion if not in conformence and not considered, include copy of this form with next communication to applicant. "Applicants unique clation designation number (optional)." See Enrids Codes of USPTO Patent Documents or www. usefac.ago or MPEP 901014." Eiter Officion this issued the document, by the wiveleter code (MPO Standard ST.3)." For Japanese patent documents, the indication of the year of the right of the Emperor must precade the serial number of the patent document. What of document by the appropriate symbols as indicated on the document unique of the Community of the patent document. Whether the document unique is the patent document. Whether the document unique is the patent document whether the document unique is the patent document. Whether the document unique is the patent document whether the document unique is the patent document. Whether the document unique is the patent document whether th

/Charles Bell/

Translation is attached. Interesting a stanction.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain e benefit by the public which is to file (end by the USFTO to process) on application. Confidentiality is governed by 33 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete. Including gathering, preparing, and summitting the completed explosation from the MUSFTO. Time will very depending upon the individual case.us you comments on the amount of time you require to complete this form ander suggestions for moduling but survives, and to be such to the Christ Information Officer, U.S. Parent and Tademark Office, P.O. Bos. 1145, Oscarding's, NZ 231745, OD NOT SEMPS ESS OR COMPLETED FORMS TO THIS ADDRESS. SEMPLE. TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Date

12/19/2008